

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

10/27/04

Paper No.: _____

TO SPE OF

: ART UNIT 1652

SUBJECT

: Request for Certificate of Correction on Patent No.: 6734003

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-915

Palm location 7580 - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

Ach

SPE

1652

Art Unit

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,734,003
DATED : May 11, 2004
INVENTOR(S) : Kate Loughney

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 66, replace "prevent invention" with --present invention--.
Column 10, line 62, replace "Opin. Biotehcnol." with --Opin. Biotechnol.--.
Column 11, line 55, replace "maybe further" with --may be further--.
Column 11, line 65, replace "can Identified" with --can be identified--.
Column 19, line 57, replace "5 μ l 10xX" with --5 μ l 10X--.

MAILING ADDRESS OF SENDER:
Joseph A. Williams, Jr.
MARSHALL, GERSTEIN & BORUN LLP
233 S. Wacker Drive, Suite 6300
Sears Tower
Chicago, Illinois 60606-6357

PATENT NO. 6,734,003

No. of additional copies 1

23 JUN 2004

OK to
enter
R. Hudson